


PILLBOX 20" LED SUSPENDED PENDANT



SPECIFICATIONS

Finish	Black w/Gold Interior (BG)
LED Color Temperature	Available in 27K, 30K, 35K, and 40K (30K Standard)
Wattage	23 Watts
Lumens	2071 Lumens
Color Rendering Index	90CRI
Input Voltage	120-277VAC - 50/60Hz
Cable Length	144"

- Suspends from an 12' adjustable cable
- Integrated LED light kit with glass diffuser comes with a 12' black power cord.
- Spun aluminum construction with a powder coated paint finish
- Damp location rated



BG
Black w/Gold Interior



ORDERING GUIDE

CATEGORY

SP

SP
Small Pendant

SERIES

PBX

PBX
Pillbox Pendant

DIFFUSER

FR

FR
Frosted diffuser
w/integrated
light kit

SIZE

20

10
10" Diameter

FINISH



BG
Black w/Gold Interior

CCT



27K - 2700K
30K - 3000K
35K - 3500K
40K - 4000K
(30K Standard)

WATTAGE

23W

23W
2071 Lumens

MOUNTING



SP6
6.5" Deep Canopy
MPC
Multi-Port Canopy

OPTIONS

CABLE LENGTH



144
144" cable length
Change length for
custom cable length
in inches
(144" Standard)

Example Part Number: SP-PBX-FR-20-BG-30K-23W-SP5

Finish



Wattage (Lumens measured at 3000K)

23W = 23 Watts - 2071 Lumens



Mounting

SP6 = 6.5" diameter canopy with integrated driver (included), attaches to rear of canopy and sits inside ceiling mounted junction box
Cable with modular connector attaches to canopy w/ integrated universal driver (120-277V / TRIAC, ELV, 0-10V dimming)















MPC = Multi-port connector attaches to any of BlackJack's Multi-Port canopies (canopy and driver sold separately)
Cable with modular connector attaches to a driver inside a Multi-Port canopy (driver may be remote)

MPC options include:

Solo Systems, Duo Systems, Quatro Systems, and JackTrack Systems
MPC, MPR, MQ, MS, MD canopies



For more information on Quatro, Duo, or Solo Modular Systems, JackTrack, or Multi-Port Canopies, see blackjacklighting.com.

Pendant Mounting	Canopy	Dimensions	End / Side View	Finish Options
SP5	5" Canopy Canopy and driver included with pendant	 5" dia. (12.7 cm)	 (Integrated Driver)	BL Matte Black PC Pol. Chrome WH White SG Satin Gold BZ Bronze SS Satin Silver
SP2	2.5" Fascia Canopy Canopy included with pendant. Driver sold separately.	 2.5" dia. (6.4 cm)	 (Remote Driver required)	BL Matte Black PC Pol. Chrome WH White SG Satin Gold BZ Bronze SS Satin Silver
MPC	24" Multi-Port Square - 9 Port C-MPS-2409-# MQ-2409-# 24" Multi-Port Square - 25 Port C-MPS-2425-# MQ-2425-#	 8" OC (20.3 cm) 9 Port 4.8" OC (12.2 cm) 25 Port 23.9" (60.7 cm)	 21.5" (54.6 cm) 2.5" (6 cm) (Integrated or Remote Driver)	BL Matte Black PC Pol. Chrome WH White SG Satin Gold BZ Bronze SS Satin Silver
MPC	38" Multi-Port Rectangle - 10 Port C-MPT-3810-# MD-3810-# 38" Multi-Port Rectangle - 18 Port C-MPT-3818-# MD-3818-#	 7.5" OC (19 cm) 10 Port 3" OC (7.6 cm) 37.7" (97.8 cm) 4.1" OC (10.4 cm) 18 Port 2.5" OC (6.4 cm) 37.7" (97.8 cm)	 4.7" (11.9 cm) 2.5" (6 cm) 6" (15.2 cm) (Integrated or Remote Driver)	BL Matte Black PC Pol. Chrome WH White SG Satin Gold BZ Bronze SS Satin Silver
MPC	22" Multi-Port Linear - 5 Port C-MPL-2205-# MS-2205-# 48" Multi-Port Linear - 11 Port C-MPL-4811-# MS-4811-#	 4.4" OC (11.2 cm) 5 Port 2.8" (7 cm) 21.8" (56 cm) 4.4" OC (11.2 cm) 11 Port 48" (123 cm) 2.8" (7 cm)	 2.8" (7 cm) 1.4" (4 cm) (Integrated or Remote Driver)	BL Matte Black WH White SG Satin Gold BZ Bronze SS Satin Silver
MPC	10" Round - 3 Port C-MPR-1003-# 10" Round - 9 Port C-MPR-1009-#	 11" dia. (27.9 cm) 7.4" OC (18.8 cm) 3 Port 2.9" OC (7.4 cm) 9 Port	 10" dia. (25.4 cm) 2.1" (5.3 cm) (Integrated Driver)	BL Matte Black PC Pol. Chrome WH White SG Satin Gold BZ Bronze SS Satin Silver
MPC	20" Round - 3 Port C-MPR-2003-# 20" Round - 12 Port C-MPR-2012-#	 20" dia. (50.8 cm) 14.5" OC (36.8 cm) 3 Port 6.4" OC (16.3 cm) 12 Port	 18" dia. (45.7 cm) 2.5" (6 cm) (Integrated Driver)	BL Matte Black PC Pol. Chrome WH White SG Satin Gold BZ Bronze SS Satin Silver
JTA	24" JackTrack J1-XXXX-XX-CH024 48" JackTrack J1-XXXX-XX-CH048 94" JackTrack J1-XXXX-XX-CH094	 23" (58.4 cm) 1.75" (4.5 cm) 47" (119.4 cm) 1.75" (4.5 cm) 94" (238.8 cm) 1.75" (4.5 cm)	 1.38" (3.5 cm) 1.75" (4.5 cm) (Integrated or Remote Driver)	BL Matte Black WH White


For more information on Quatro, Duo, or Solo Modular Systems, JackTrack, or Multi-Port Canopies, see blackjacklighting.com.

System	Pendant Mounting	Configuration Examples	Finish Options
--------	------------------	------------------------	----------------


Quatro

4S (4' 2x2' / 9 Port)
MQ-2409-XX-4S-X-XXX

Square Configurations




6S (6' 3x3 / 25 Port)
MQ-2425-XX-6S-X-XXX




BL Matte Black
PC Pol. Chrome
BZ Bronze
SG Satin Gold
SS Satin Silver

4L (4'x2' / 9 Port)
MQ-2425-XX-4L-X-XXX

Linear Configurations




6L (6'x2' / 25 Port)
MQ-2425-XX-6L-X-XXX



Duo


6L (6'4"x6" / 10 Port)
MD-3810-XX-6L-X-XXX

Linear Configurations



BL Matte Black
PC Pol. Chrome
BZ Bronze
SG Satin Gold
SS Satin Silver


9L (9'6"x6" / 18 Port)
MD-3818-XX-9L-X-XXX




Solo

4S (4' 2x2' / 9 Port)
MQ-2409-XX-4S-X-XXX

Solo 48" Linear Configuration




Solo (L) Configuration



BL Matte Black
PC Pol. Chrome
BZ Bronze
SG Satin Gold
SS Satin Silver

4S (4' 2x2' / 9 Port)
MQ-2409-XX-4S-X-XXX

Solo 22" Grid Configuration



Solo 48" Grid Configuration

