


## PILLBOX 20" LED SUSPENDED PENDANT



### SPECIFICATIONS

Finish	Black w/Gold Interior (BG)
LED Color Temperature	Available in 27K, 30K, 35K, and 40K (30K Standard)
Wattage	23 Watts
Lumens	2071 Lumens
Color Rendering Index	90CRI
Input Voltage	120-277VAC - 50/60Hz
Cable Length	144"

- Suspends from an 12' adjustable cable
- Integrated LED light kit with glass diffuser comes with a 12' black power cord.
- Spun aluminum construction with a powder coated paint finish
- Damp location rated



### ORDERING GUIDE

← PRODUCT CODE							OPTIONS →	
<b>CATEGORY</b>	<b>SERIES</b>	<b>DIFFUSER</b>	<b>SIZE</b>	<b>FINISH</b>	<b>CCT</b>	<b>WATTAGE</b>	<b>MOUNTING</b>	<b>CABLE LENGTH</b>
<b>SP</b>	<b>PBX</b>	<b>FR</b>	<b>20</b>	<b>BG</b>	<b>30K</b>	<b>23W</b>	<b>SP5</b>	<b>144</b>
Small Pendant	Pillbox Pendant	Frosted diffuser w/integrated light kit	20 20" Diameter	Black w/Gold Interior White w/Gold Interior	27K - 2700K 30K - 3000K 35K - 3500K 40K - 4000K (30K Standard)	23W 2071 Lumens	6.75" Canopy MPC Multi-Port Canopy	144" 144" cable length Change length for custom cable length in inches (144" Standard)

Example Part Number: SP-PBX-FR-20-BG-30K-23W-SP5

## Finish



**BG**  
Black w/Gold Interior



**WG**  
White w/Gold Interior

## Wattage (Lumens measured at 3000K)

**23W** = 23 Watts - 2071 Lumens

## Mounting

**SP5** = 6.5" diameter canopy with integrated driver (included), attaches to rear of canopy and sits inside ceiling mounted junction box  
Cable with modular connector attaches to canopy w/ integrated universal driver (120-277V / TRIAC, ELV, 0-10V dimming)



**MPC** = Multi-port connector attaches to any of BlackJack's Multi-Port canopies (canopy and driver sold separately)

*Cable with modular connector attaches to a driver inside a Multi-Port canopy (driver may be remote)*
















MPC options include:

Solo Systems, Duo Systems, Quatro Systems, and JackTrack Systems

MPC, MPR, MQ, MS, MD canopies



For more information on Quatro, Duo, or Solo Modular Systems, JackTrack, or Multi-Port Canopies, see [blackjacklighting.com](http://blackjacklighting.com).

Pendant Mounting	Canopy	Dimensions	End / Side View	Finish Options
SP5	<b>5" Canopy</b> Canopy and driver included with pendant	 5" dia. (12.7 cm)	 (Integrated Driver) .8" (2 cm)	BL Matte Black PC Pol. Chrome WH White SG Satin Gold BZ Bronze SS Satin Silver
SP2	<b>2.5" Fascia Canopy</b> Canopy included with pendant. Driver sold separately.	 2.5" dia. (6.4 cm)	 (Remote Driver required) .4" (1.3 cm)	BL Matte Black PC Pol. Chrome WH White SG Satin Gold BZ Bronze SS Satin Silver
MPC	<b>24" Multi-Port Square - 9 Port</b> C-MPS-2409-# MQ-2409-# <b>24" Multi-Port Square - 25 Port</b> C-MPS-2425-# MQ-2425-#	 8" OC (20.3 cm) 4.8" OC (12.2 cm) 23.9" (60.7 cm) 9 Port 25 Port	 21.5" 54.6 cm 2.5" (6 cm) (Integrated or Remote Driver)	BL Matte Black PC Pol. Chrome WH White SG Satin Gold BZ Bronze SS Satin Silver
MPC	<b>38" Multi-Port Rectangle - 10 Port</b> C-MPT-3810-# MD-3810-# <b>38" Multi-Port Rectangle - 18 Port</b> C-MPT-3818-# MD-3818-#	 7.5" OC (19 cm) 3" OC (7.6 cm) 37.7" (97.8 cm) 10 Port 4.1" OC (10.4 cm) 2.5" OC (6.4 cm) 37.7" (97.8 cm) 18 Port	 4.7" 11.9 cm 2.5" (6 cm) 6" 15.2 cm (Integrated or Remote Driver)	BL Matte Black PC Pol. Chrome WH White SG Satin Gold BZ Bronze SS Satin Silver
MPC	<b>22" Multi-Port Linear - 5 Port</b> C-MPL-2205-# MS-2205-# <b>48" Multi-Port Linear - 11 Port</b> C-MPL-4811-# MS-4811-#	 4.4" OC (11.2 cm) 2.8" (7 cm) 5 Port 21.8" (56 cm) 4.4" OC (11.2 cm) 48" (123 cm) 11 Port	 2.8" (7 cm) 1.4" (4 cm) (Integrated or Remote Driver) 2.8" (7 cm)	BL Matte Black WH White SG Satin Gold BZ Bronze SS Satin Silver
MPC	<b>10" Round - 3 Port</b> C-MPR-1003-# <b>10" Round - 9 Port</b> C-MPR-1009-#	 11" dia. (27.9 cm) 7.4" OC (18.8 cm) 3 Port 11" dia. (27.9 cm) 2.9" OC (7.4 cm) 9 Port	 10" dia. (25.4 cm) 2.1" (5.3 cm) (Integrated Driver)	BL Matte Black PC Pol. Chrome WH White SG Satin Gold BZ Bronze SS Satin Silver
MPC	<b>20" Round - 3 Port</b> C-MPR-2003-# <b>20" Round - 12 Port</b> C-MPR-2012-#	 20" dia. (50.8 cm) 14.5" OC (36.8 cm) 3 Port 20" dia. (50.8 cm) 6.4" OC (16.3 cm) 12 Port	 18" dia. 45.7 cm 2.5" (6 cm) (Integrated Driver)	BL Matte Black PC Pol. Chrome WH White SG Satin Gold BZ Bronze SS Satin Silver
JTA	<b>24" JackTrack</b> J1-XXXX-XX-CH024 <b>48" JackTrack</b> J1-XXXX-XX-CH048 <b>94" JackTrack</b> J1-XXXX-XX-CH094	 1.75" (4.5 cm) 23" (58.4 cm) 1.75" (4.5 cm) 47" (119.4 cm) 1.75" (4.5 cm) 94" (238.8 cm)	 1.38" (3.5 cm) 1.75" (4.5 cm) (Integrated or Remote Driver) 1.75" (4.5 cm)	BL Matte Black WH White


For more information on Quatro, Duo, or Solo Modular Systems, JackTrack, or Multi-Port Canopies, see [blackjacklighting.com](http://blackjacklighting.com).

System	Pendant Mounting	Configuration Examples	Finish Options
--------	------------------	------------------------	----------------


## Quatro

4S (4' 2x2 / 9 Port)  
MQ-2409-XX-4S-X-XXX

### Square Configurations




6S (6' 3x3 / 25 Port)  
MQ-2425-XX-6S-X-XXX




BL Matte Black  
PC Pol. Chrome  
BZ Bronze  
SG Satin Gold  
SS Satin Silver

4L (4'x2' / 9 Port)  
MQ-2425-XX-4L-X-XXX

### Linear Configurations



6L (6'x2' / 25 Port)  
MQ-2425-XX-6L-X-XXX




Additional configurations and options available. Contact factory for details.

## Duo


6L (6'4"x6" / 10 Port)  
MD-3810-XX-6L-X-XXX

### Linear Configurations



BL Matte Black  
PC Pol. Chrome  
BZ Bronze  
SG Satin Gold  
SS Satin Silver


9L (9'6"x6" / 18 Port)  
MD-3818-XX-9L-X-XXX




Additional configurations and options available. Contact factory for details.

## Solo


### Solo 48" Linear Configuration




### Solo (L) Configuration



### Solo 22" Grid Configuration



### Solo 48" Grid Configuration



BL Matte Black  
WH Pol. Chrome  
BZ Bronze  
SG Satin Gold  
SS Satin Silver

Additional configurations and options available. Contact factory for details.